



Date: 11/27/2020

To: Mitchell Gayer

From: David Ekstrand
Kadeem Hill
Veronica Kero, CIH, P.E.

Re: **(NJIT NEWARK CAMPUS WASTEWATER DISCHARGE SARS-CoV-2 SAMPLING & PCR ANALYSIS) WEEKLY DATA SUMMARY FOR 11/23/2020-11/25/2020** {Omega Project #: 20-1177}

Attachment(s):

- *Prestige EnviroMicrobiology Laboratory Analysis Reports for samples collected 11/23-11/25/2020*
- *Sample Trends*

Project Overview:

In order to proactively predict potential escalation of COVID-19 cases in occupied campus dormitory buildings, 24-hour composite wastewater (WW) discharge sampling is being performed, followed by 3rd party laboratory analysis in accordance with the published method cited on the attached laboratory analysis report using the approved CDC EUA Kit.

Weekly Data Summary:

WW Discharge Sampling Location	24-hr Sampling Date Range	2019-nCoV (N1 Protein)	Cycle Threshold Value ³ (N1 Protein)	2019-nCoV (N2 Protein)	Cycle Threshold Value ³ (N2 Protein)	Conc. (Copies of RNA/mL)
Oak-14	11/23-11/24/2020	ND	ND	ND	ND	NA
Cypress-13	11/23-11/24/2020	Positive	35.73	Positive	36.08	78
Laurel M-13	11/23-11/24/2020	Positive	29.49	Positive	30.04	3,200
Laurel E-11	11/23-11/24/2020	Positive	32.50	Positive	32.48	1,800
Redwood-12	11/24-11/25/2020	ND	ND	ND	ND	NA
GRK Honors-14	11/24-11/25/2020	ND	ND	ND	ND	NA

Local Trending:

According to *covidactnow.org* online database for Essex County:

Active or imminent outbreak.

Essex County is either actively experiencing an outbreak or is at extreme risk. COVID cases are exponentially growing and/or Essex County's COVID preparedness is significantly below international standards.

Essex Infection Rate 11/17 (most recent data): 1.05% (decreasing)

Essex Positivity Rate 11/18 (most recent data): 11.1% (increasing)

Essex Daily New Cases Per 100k: 47.7 (steady at a critical level)

Discussion of CT Score

The cycle threshold (Ct) refers to the number of cycles in an RT-PCR assay needed to amplify viral RNA to reach a detectable level. The Ct value can thus indicate the relative viral RNA level in a specimen (with lower Ct values reflective of higher viral levels).

Since the assessment of COVID-19 in sewers is an ongoing developing project the following is intended as a guideline only.

Omega Recommendations:

CT Value	RNA/L	Occupant Risk	Recommendation
>40	<2,000	None Detected – No Risk identified above normal for the surrounding area.	No Action
39.99 – 37.5	2,001 – 20,000	Low	Voluntary COVID-19 Testing for occupants
37.4 – 32.59	20,001 – 200,000	Moderate	Non-Voluntary COVID-19 testing for all dorm occupants.
32.58 - 29.11	200,001 – 1,999,999	High	Non-Voluntary COVID-19 testing for all dorm occupants. Occupant isolation until test results are received.
29.1 – <26.49	2,000,000 - >20,000,000	Very High	Occupant isolation for a minimum of a week. Non-Voluntary COVID-19 testing for all dorm occupants at the start and end of the week

Please note, there is an inverse relationship between CT values and RNA/L.

Summary

Trending:

- Cypress- *decreased* RNA positive results (moderate risk).
- Laurel Extension – *decreased* RNA positive results (high risk)
- Laurel Main – *increased* RNA positive results (now positive; very high risk)
- Redwood – *decreased* RNA results (now ND)
- Oak, Greek, Honors – no change (ND)

Although results have generally decreased (lower risk) in Laurel Extension, Redwood, and Cypress, positive results were identified again in Laurel Main.

Depending upon NJIT policies Omega recommends:

- **Students returning after Thanksgiving should supply NJIT with proof of negative test results.**
- **Since there is reportedly a 4-5 day delay from infection to positive test results consider testing any returning student in approximately 1 week.**
- For confirmed cases, students should be removed from shared rooms and quarantined in single rooms
- Encourage adherence to standard precautions (mask, social distancing, and personal hygiene).
- Discourage unnecessary social interactions both in the building and elsewhere on campus until negative test results are received.
- Consider installing a temperature checking camera at residence halls entrances and requiring students to undergo a temperature check before entering the building.

⁽¹⁾ Current information indicates that wastewater testing may reveal the presence of Covid-19 4 or 5 days prior to clinical tests or the development of symptoms. If feasible, NJIT may want to encourage occupants to take two tests, approximately 4 days apart.

Results Summary Table

Week Ending	Cypress				Greek Village				Honors				Laurel-Extension				Laurel-Main				Oak				Redwood			
	2019-nCoV (N1)	CTV* (N1)	2019 n-CoV (N2)	CTV* (N2)	2019 n-CoV (N1)	CTV* (N1)	2019 n-CoV (N2)	CTV* (N2)	2019 n-CoV (N1)	CTV* (N1)	2019 n-CoV (N2)	CTV* (N2)	2019 n-CoV (N1)	CTV* (N1)	2019 n-CoV (N2)	CTV* (N2)	2019 n-CoV (N1)	CTV* (N1)	2019 n-CoV (N2)	CTV* (N2)	2019 n-CoV (N1)	CTV* (N1)	2019 n-CoV (N2)	CTV* (N2)	2019 n-CoV (N1)	CTV* (N1)	2019 n-CoV (N2)	CTV* (N2)
8/28/2020					ND	ND	ND	ND									ND	ND	ND	ND	ND	ND	ND	ND				
9/4/2020	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND					ND	ND	ND	ND	ND	ND	ND	ND				
9/11/2020	ND	ND	ND	ND	ND	ND	ND	ND	ND								ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
9/18/2020	Positive	35.68	Positive	35.49	ND	ND	ND	ND					ND	ND	ND	ND					ND	ND	ND	ND	ND	ND	ND	ND
9/25/2020	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
10/2/2020	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
10/9/2020	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
10/16/2020	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	Positive	32.88	Positive	33.32	ND	ND	ND	ND	ND	ND	ND	ND
10/23/2020	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	Positive	35.62	Positive	33.78	ND	ND	ND	ND	ND	ND	ND	ND
10/30/2020	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	Positive	31.47	Positive	31.6	ND	ND	ND	ND	ND	ND	ND	ND
11/6/2020	Positive	33.74	Positive	34.02	ND	ND	ND	ND	ND	ND	ND	ND	Positive	37.65	Positive	36.93	Positive	37.32	Positive	38.78	ND	ND	ND	ND	ND	ND	ND	ND
11/13/2020	Positive	24.68	Positive	24.66	ND	ND	ND	ND	ND	ND	ND	ND	Positive	28.14	Positive	28.29	Positive	34.43	Positive	34.26	ND	ND	ND	ND	ND	ND	ND	ND
11/20/2020	Positive	30.30	Positive	30.29	ND	ND	ND	ND	ND	ND	ND	ND	Positive	31.02	Positive	30.99	ND	ND	ND	ND	ND	ND	ND	ND	Positive	35.31	Positive	34.48
11/27/2020	Positive	35.73	Positive	36.08	ND	ND	ND	ND	ND	ND	ND	ND	Positive	32.50	Positive	32.48	Positive	29.49	Positive	30.04	ND	ND	ND	ND	ND	ND	ND	ND
12/4/2020																												
12/11/2020																												
12/18/2020																												
12/25/2020																												

Note: CTV score *decreases* with *increasing* virus detected (> 40 = ND)

N1: N1 Indicator Protein

N2: N2 Indicator Protein

ND: None Detected

CTV: Cycle Threshold Value

ATTACHMENTS

Prestige EnviroMicrobiology, Inc.

Analytical Test Report

Client: Omega Environmental Services, Inc., 280 Huyler Street, South Hackensack, NJ 07606

Client Project/Name: 20-1177

Sample date: 11-23-2020 & 11-24-2020

Submittal date: 11-24-2020

Sample received: 11-25-2020

Samples submitted by: Val Rublikov


Date analysis completed: November 25, 2020

Prestige Report number: 201125-01


RT-PCR 2019-nCoV: Analysis of Water samples for the detection of SARS-CoV-2 Genetic Markers

Prestige # Client sample ID Location	2019-nCoV (N1 Protein)	Cycle Threshold (Ct) Value ³ (N1 Protein)	2019-nCoV (N2 Protein)	Cycle Threshold Value ³ (N2 Protein)	Conc. (copies of RNA/mL)
201125-01-001 Oak-14	ND	ND	ND	ND	NA
201125-01-002 Cypress-13	Positive	35.73	Positive	36.08	78
201125-01-003 Laurel-M13	Positive	29.49	Positive	30.04	3,200
201125-01-004 Laurel-E11	Positive	32.50	Positive	32.48	1,800

Report approved: _____


Theresa Lehman, MPH, Lab Director

Technical Manager: _____


Chin S Yang, Ph.D.

Analyst: Ching-Yi Tsai, Ph.D.

1. The samples in this report were received in good, acceptable conditions. Results relate only to the items tested.
2. Wastewater samples are processed following the protocol described in the article: Ahmed, W., et al. 2020. First confirmed detection of SARS-CoV-2 in untreated wastewater in Australia: A proof of concept for the wastewater surveillance of COVID-19 in the community. Science of the Total Environment 728. <https://doi.org/10.1016/j.scitotenv.2020.138764>
3. The primers and probes in 2019-nCoV CDC EUA Kit are designed for the detection of the two SARS-CoV-2 genes that encode for the N1 and N2 proteins. The kit is manufactured and supplied by Integrated DNA Technologies and approved by the U.S. Centers for Disease Control and Prevention (CDC). Three controls, two positive controls for N proteins and one internal control for the RNA extraction process, are simultaneously run with the samples.
4. Cycle Threshold Value refers to the number of cycles required for the fluorescent signal to cross the detectable threshold in Reverse Transcriptase Polymerase Chain Reaction (RT-PCR); a lower cycle threshold value indicates a higher viral load.
5. ND = not detected, no genetic marker is detected within 40 PCR cycles. NA = not applicable. The detection limit is 10 copies/reaction.

Prestige EnviroMicrobiology, Inc. Tel: 856-767-8300
242 Terrace Boulevard, Suite B-1, Voorhees, New Jersey 08043

Prestige Proj.#: 201125-01

Chain-of-Custody and Analysis Request Form

Company Name: Omega Environmental Services Client Proj. #: 20-1177

Company Address: 280 Huyler St., S. Hackensack, NJ PQ#:

Date Sampled: 11/23- 11/24/2020

Contact Name: David Ekstrand Phone: 201-522-9879
E-mail: davide@omega-env.com/lab@omega-env.com

Sample ID	Location or source	Sample type	Area (inch ²)	Analysis requests code or description	Turnaround time*	Notes or special instructions
Oak -	14	Water		PCR for COVID19	Same Day	
Cypress	-13	Water		PCR for COVID19	Same Day	
Laurel	M-13	Water		PCR for COVID19	Same Day	
Laurel	E-41	Water		PCR for COVID19	Same Day	
.	.	Water	.	PCR for COVID19	Same Day	.
		Water		PCR for COVID19		.
		Water		PCR for COVID19		
		Water		PCR for COVID19		
		Water		PCR for COVID19		
		Water		PCR for COVID19		
		Water		PCR for COVID19		

*Indicate your request, either standard (3 business days), next day, same day or Saturday.

Samples Submitted by: (print) Val Rublikov Samples Submitted by: (sign) Val Rublikov Date submitted: 11/24/2020

Received by: (sign & print) L. Yang Julie Yang Date & time received: 11/5/2012 12:04 PM Delivered by: Fedex UPS, USPO, in person

Controlled Copy
Property of Prestige EnviroMicrobiology, Inc.

Rev 05
12-11-2019

Prestige EnviroMicrobiology, Inc.

Analytical Test Report

Client: Omega Environmental Services, Inc., 280 Huyler Street, South Hackensack, NJ 07606

Client Project/Name: 20-1177

Sample date: 11-24-2020 & 11-25-2020

Submittal date: 11-25-2020

Sample received: 11-25-2020

Samples submitted by: David Ekstrand


Date analysis completed: November 27, 2020

Prestige Report number: 201125-08


RT-PCR 2019-nCoV: Analysis of Water samples for the detection of SARS-CoV-2 Genetic Markers

Prestige # Client sample ID Location	2019-nCoV (N1 Protein)	Cycle Threshold (Ct) Value ³ (N1 Protein)	2019-nCoV (N2 Protein)	Cycle Threshold Value ³ (N2 Protein)	Conc. (copies of RNA/mL)
201125-08-065 Redwood-12	ND	ND	ND	ND	NA
201125-08-066 GRK Honors-14	ND	ND	ND	ND	NA

Report approved: _____


Theresa Lehman, MPH, Lab Director

Technical Manager: _____


Chin S Yang, Ph.D.

Analyst: Ching-Yi Tsai, Ph.D.

1. The samples in this report were received in good, acceptable conditions. Results relate only to the items tested.
2. Wastewater samples are processed following the protocol described in the article: Ahmed, W., et al. 2020. First confirmed detection of SARS-CoV-2 in untreated wastewater in Australia: A proof of concept for the wastewater surveillance of COVID-19 in the community. Science of the Total Environment 728. <https://doi.org/10.1016/j.scitotenv.2020.138764>
3. The primers and probes in 2019-nCoV CDC EUA Kit are designed for the detection of the two SARS-CoV-2 genes that encode for the N1 and N2 proteins. The kit is manufactured and supplied by Integrated DNA Technologies and approved by the U.S. Centers for Disease Control and Prevention (CDC). Three controls, two positive controls for N proteins and one internal control for the RNA extraction process, are simultaneously run with the samples.
4. Cycle Threshold Value refers to the number of cycles required for the fluorescent signal to cross the detectable threshold in Reverse Transcriptase Polymerase Chain Reaction (RT-PCR); a lower cycle threshold value indicates a higher viral load.
5. ND = not detected, no genetic marker is detected within 40 PCR cycles. NA = not applicable. The detection limit is 10 copies/reaction.

Prestige EnviroMicrobiology, Inc. Tel: 856-767-8300
242 Terrace Boulevard, Suite B-1, Voorhees, New Jersey 08043

www.Prestige-em.com

Prestige Proj. #: 201125-08

Chain-of-Custody and Analysis Request Form

Company Name: Omega Environmental Services Client Proj. #: 20-1177

Company Address: 280 Huyler St., S. Hackensack, NJ PO#:

Date Sampled: 11/24-25/2020

Contact Name: David Ekstrand Phone: 201-522-9879 E-mail: davide@omega-env.com/lab@omega-env.com

Sample ID	Location or source	Sample type	Area (inch ²)	Analysis requests code or description	Turnaround time*	Notes or special instructions
REDWOOD	-12	Water		PCR for COVID19	Same Day	
GRV HONORS 14		Water		PCR for COVID19	Same Day	
		Water		PCR for COVID19	Same Day	
		Water		PCR for COVID19	Same Day	
		Water		PCR for COVID19	Same Day	
.	.	Water	.	PCR for COVID19	Same Day	.
		Water		PCR for COVID19		
		Water		PCR for COVID19		
		Water		PCR for COVID19		
		Water		PCR for COVID19		
		Water		PCR for COVID19		
		Water		PCR for COVID19		
		Water		PCR for COVID19		

*Indicate your request, either standard (3 business days), next day, same day or Saturday.

Samples Submitted by: (print) DAVID EKSTRAND Samples Submitted by: (sign) D. Ekstrand Date submitted: 11/25/20

Received by: (sign & print) Christy O. Ekstrand Date & time received: 11/25/20 12:20pm Delivered by: Fedex, UPS, USPO, in person

Controlled Copy
Property of Prestige EnviroMicrobiology, Inc.

Rev 05
12-11-2019