

Date: 3/19/2021

To: Mitchell Gayer

From: David Ekstrand

Kadeem Hill

Veronica Kero, CIH, P.E.

Re: (NJIT NEWARK CAMPUS WASTEWATER DISCHARGE SARS-CoV-2

SAMPLING & PCR ANALYSIS) WEEKLY DATA SUMMARY FOR 3/15/2021-

**3/17/2021** {Omega Project #: 21-1020}

#### Attachment(s):

• Results Summary Trends

Prestige EnviroMicrobiology Laboratory Analysis Reports for samples collected 3/15-3/17/2021

#### Project Overview:

In order to proactively predict potential escalation of COVID-19 cases in occupied campus dormitory buildings, 24-hour composite wastewater (WW) discharge sampling is being performed, followed by 3<sup>rd</sup> party laboratory analysis in accordance with the published method cited on the attached laboratory analysis report using the approved CDC EUA Kit.

#### Weekly Data Summary:

WW Discharge Sampling Location	24-hr Sampling Date Range	2019-nCoV (N1 Protein)	Cycle Threshold Value <sup>3</sup> (N1 Protein)	2019-nCoV (N2 Protein)	Cycle Threshold Value <sup>3</sup> (N2 Protein)	Conc. (Copies of RNA/mL)
Oak-09	3/15/2021- 3/17/2021	ND	ND	ND	ND	NA
Laurel M-09	3/15/2021- 3/17/2021	ND	ND	ND	ND	NA
Laurel E-09	3/15/2021- 3/17/2021	ND	ND	ND	ND	NA
Cypress-09	3/15/2021- 3/17/2021	ND	ND	ND	ND	NA
Redwood-08	3/15/2021- 3/17/2021	Positive	34.77	Positive	35.70	36
Greek Honors-09	3/15/2021- 3/17/2021	ND	ND	ND	ND	NA
Honors Only	3/15/2021- 3/17/2021	Not Tested	-	-	-	-

### **Local Trending:**

According to *covidactnow.org* online database for Essex County:

#### Active or imminent outbreak.

Essex County is either actively experiencing an outbreak or is at extreme risk. COVID cases are exponentially growing and/or Essex County's COVID preparedness is significantly below international standards.

Essex Infection Rate 3/8 (most recent data): 1.03% (increasing) Essex Positivity Rate 3/12 (most recent data): 7.0% (decreasing)

Essex Daily New Cases Per 100k (as of 3/15): 42.5 (increasing at a critical level)

Essex Vaccinated (1<sup>st</sup> Shot): 20.2.% (increasing) Essex Vaccinated (2<sup>nd</sup> Shot): 10.4% (increasing)

### Discussion of CT Score

The cycle threshold (Ct) refers to the number of cycles in an RT-PCR assay needed to amplify viral RNA to reach a detectable level. The Ct value can thus indicate the relative viral RNA level in a specimen (with lower Ct values reflective of higher viral levels).

Since the assessment of COVID-19 in sewers is an ongoing developing project the following is intended as a guideline only.

## Omega Recommendations:

(Table updated 1/25/21)

CT Value	RNA/mL	Occupant Risk	Recommendation
>40	<2	None Detected – No Risk identified above normal for the surrounding area.	No Action
39.99 – 34.68	2 – 20	Low	Voluntary COVID-19 Testing for occupants
34.67 – 31.26	20– 200	Moderate	Non-Voluntary COVID-19 testing for all dorm occupants.
31.25 – 28.94	200– 1,999	High	Non-Voluntary COVID-19 testing for all dorm occupants. Occupant isolation until test results are received.
28.93 - <25.07	2,000->20,000	Very High	Occupant isolation for a minimum of a week. Non-Voluntary COVID-19 testing for all dorm occupants at the start and end of the week

Please note, there is an inverse relationship between CT values and RNA/L.

#### **Summary**

• Positive results in Redwood indicate the presence of infected occupants on the dates of sampling (3/15-3/17/21).

#### **Trending**

- Oak, Laurel-Main, Laurel-Extension, Greek Honors, Honors Only and Cypress are all ND.
- Redwood levels have significantly decreased since last week.


#### Depending upon NJIT policies Omega recommends:

- For confirmed cases, students should be removed from shared rooms and quarantined in single rooms
- Encourage adherence to standard precautions (mask, social distancing, and personal hygiene).
- Discourage unnecessary social interactions both in the building and elsewhere on campus until negative test results are received.
- Consider installing a temperature checking camera at residence halls entrances and requiring students to undergo a temperature check before entering the building.
- (1) Current information indicates that wastewater testing may reveal the presence of Covid-19 4 or 5 days prior to clinical tests or the development of symptoms. If feasible, NJIT may want to encourage occupants to take two tests, approximately 4 days apart.

Results Summary Table 2021

			Cypress				Greek/H	Honors Cor	mbined			I	Honors On	ıly			Laure	el-Extensio	n			L	aurel-Main	ı				Oak					Redwood																	
Week Ending	2019- nCoV (N1)	CTV* (N1)	2019 n-CoV (N2)	CTV* (N2)	RNA/ mL	2019 n-CoV (N1)	CTV* (N1)	2019 n-CoV (N2)	CTV* (N2)	RNA/ mL	2019 n-CoV (N1)	CTV* (N1)	2019 n-CoV (N2)	CIV* (N2)	RNA/ mL	2019 n-CoV (N1)	CTV* (N1)	2019 n-CoV (N2)	CTV* (N2)	RNA/ mL	2019 n-CoV (N1)	CTV* (N1)	2019 n-CoV (N2)	CTV* (N2)	RNA/ mL	2019 n-CoV (N1)		2019 n-CoV (N2)	CTV* (N2)	RNA/ mL	2019 n-CoV (N1)	CTV* (N1)	2019 n-CoV (N2)	CTV* (N2)	RNA/ mL															
1/18-1/20	ND	ND	ND	ND	NA	Positive	34.80	Positive	35.96	11				-		Positive	31.48	Positive	32.31	150	ND	ND	ND	ND	NA	ND	ND	ND	ND	NA																				
1/25-1/27	Positive	30.85	Positive	31.06	370	Positive	37.82	Positive	37.48	3.3	ND	ND	ND	ND	NA	Positive	32.83	Positive	32.01	270	Positive	38.17	Positive	38.73	2.7	ND	ND	ND	ND	NA	ND	ND	ND	ND	NA															
2/3-2/4	Positive	32.09	Positive	32.37	140	Positive	28.54	Positive	28.83	2,300	ND	ND	ND	ND	NA	ND	ND	ND	ND	NA	ND	ND	ND	ND	NA	ND	ND	ND	ND	NA	ND	ND	ND	ND	NA															
2/8-2/9	ND	ND	ND	ND	NA	Positive	32.57	Positive	32.70	110	ND	ND	ND	ND	NA	ND	ND	ND	ND	NA	ND	ND	ND	ND	NA	ND	ND	ND	ND	NA	Positive	33.14	Positive	33.58	90															
2/15-2/17	Positive	34.87	Positive	35.55	21	Positive	38.51	Positive	38.96	2	ND	ND	ND	ND	NA	Positive	35.42	Positive	36.02	17	Positive	38.41	Positive	38.89	2	ND	ND	ND	ND	NA	Positive	32.15	Positive	32.59	180															
2/22-2/23	Positive	29.32	Positive	30.12	1,300	Positive	29.93	Positive	30.82	820	ND	ND	ND	ND	NA	ND	ND	ND	ND	NA	Positive	35.82	Positive	36.66	17	ND	ND	ND	ND	NA	Positive	30.67	Positive	31.64	470															
3/1-3/2	Positive	33.32	Positive	34.04	96	Positive	38.02	Positive	38.62	5	ND	ND	ND	ND	NA	ND	ND	ND	ND	NA	Positive	37.91	Positive	38.25	6	ND	ND	ND	ND	NA	Positive	29.92	Positive	30.85	800															
3/8-3/12	ND	ND	ND	ND	NA	ND	ND	ND	ND	NA	ND	ND	ND	ND	NA	ND	ND	ND	ND	NA	ND	ND	ND	ND	NA	ND	ND	ND	ND	NA	Positive	29.78	Positive	30.72	1,000															
3/15-3/17	ND	ND	ND	ND	NA	ND	ND	ND	ND	NA																					ND	ND	ND	ND	NA	ND	ND	ND	ND	NA	ND	ND	ND	ND	NA	Positive	34.77	Positive	35.70	36

Note: CTV score decreases with increasing virus detected (> 40 = ND)



# Prestige EnviroMicrobiology, Inc.

#### Analytical Test Report

Client: Omega Environmental Services, Inc., 280 Huyler Street, South Hackensack, NJ 07606

Client Project/Name: 21-1020

Sample date: 03-15-2021 & 03-16-2021

Submittal date: 03-16-2021 Sample received: 03-17-2021

Samples submitted by: Val Rublikov Date analysis completed: March 17, 2021 Prestige Report number: 210317-01

RT-PCR 2019-nCoV: Analysis of Water samples for the detection of SARS-CoV-2 Genetic Markers

KT-T CK 2019-HCOV. Alla	lysis of water sa	imples for the det	ection of SAICS	COV-2 Generic	VIAIRCIS
Prestige # Client sample ID Location	2019-nCoV (N1 Protein)	Cycle Threshold (Ct) Value <sup>3</sup> (N1 Protein)	2019-nCoV (N2 Protein)	Cycle Threshold Value <sup>3</sup> (N2 Protein)	Conc. (copies of RNA/mL)
210317-01-001 Oak-09	ND	ND	ND	ND	NA
210317-01-002 Laurel M-09	ND	ND	ND	ND	NA
210317-01-003 Laurel E-09	ND	ND	ND	ND	NA
210317-01-004 Cypress-09	ND	ND	ND	ND	NA
210318-01-005 Redwood-08	Positive	34.77	Positive	35.70	36
210317-01-006 Greek Honors-09	ND	ND	ND	ND	NA

Report approved: _	Theresa Lehman MPH Lab Director
	Thursa Jehman

Chin S Yang, Ph.D.

Analyst: Ching-Yi Tsai, Ph.D.

<sup>1.</sup> The samples in this report were received in good, acceptable conditions. Results relate only to the items tested.

<sup>2.</sup> Wastewater samples are processed following the protocol described in the article: Ahmed, W., et al. 2020. First confirmed detection of SARS-CoV-2 in untreated wastewater in Australia: A proof of concept for the wastewater surveillance of COVID-19 in the community. Science of the Total Environment 728. https://doi.org/10.1016/j.scitotenv.2020.138764

<sup>3.</sup> The primers and probes in 2019-nCoV CDC EUA Kit are designed for the detection of the two SARS-CoV-2 genes that encode for the N1 and N2 proteins. The kit is manufactured and supplied by Integrated DNA Technologies and approved by the U.S. Centers for Disease Control and Prevention (CDC). Three controls, two positive controls for N proteins and one internal control for the RNA extraction process, are simultaneously run with the samples.

# Prestige EnviroMicrobiology, Inc.

4. Cycle Threshold Value refers to the number of cycles required for the fluorescent signal to cross the detectable threshold in Reverse Transcriptase Polymerase Chain Reaction (RT-PCR); a lower cycle threshold value indicates a higher viral load.
5. ND = not detected, no genetic marker is detected within 40 PCR cycles. NA = not applicable. The detection limit is 10 copies/reaction.

Prestige Proj.#: 210319-01

Prestige EnviroMicrobiology, Inc. Tel: 856-767-8300 v 242 Terrace Boulevard, Suite B-1, Voorhees, New Jersey 08043

Omega Environmental Services

www.Prestige-em.com

Chain-of-Custody for SARS-CoV-2 (COVID-19 virus) RT-PCR Analysis Request Form

Date Sampled: 03/15 - 03/16 /2021 E-mail: Davide & Omega-env. com 21-1020 Client Proj. #: PO#: Phone: 201-522-9970 S. Hackensack, NJ 07606 280 Huyler St. David Ekstrand Company Address: Company Name: Contact Name:

	Location or source	Sample Type (See below) <sup>1</sup>	Area sampled (in²) Air Volume (L)	P/A = Presence/Absence Quant = Quantitative	time time (See below) <sup>2</sup>	Notes or special instructions
Oak	- 09	W	NA	Quant.	SD	
Laurel	M-09	W	NA	Quant.	SD	
Layrel	€-09	W	NA	Quant.	SD	
CYPRESS	- 09	W	NA	Quant.	SD	
Reducod - 08	- 08	W	NA	Quant.	SD	
Greek Honops - 09	es - 09.	. W	NA ,	, Quant. ,	SD ,	
		W	NA	Quant.	SD	

Sample Type Codes AC-P - Air	ir Cassette-PTFE	AC-G - Air Cassette-Gel	SW - Swab	W - Wastewater	Officers - Please indicate
Turnaround Time STD - 3	Business Days	ND - Next Day	SD - Same Day		

, Date submitted; 03/16/2021 Samples Submitted by: (print) Val Rublibas Submitted by: (sign)

Delivered by: Fedes, UPS, USPO, in person Received by: (sign & print) ( Ang 4; Tow Date & time received: 3/10/22), 10011

Controlled Copy Property of Prestige EnviroMicrobiology, Inc.

Rev 02 12-22-2020